



# General Purpose FOOD GRADE Penetrant | Lubricant | Corrosion Inhibitor



Size	Code	Size	Code
400g Aerosol	GPIPP-0400	20 Litre	GPI0020
750ml Spray	GPI/SP-0750	200 Litre*	GPI0200
5 Litre	GPI0005	1000 Litre*	GPI1000

\*requires agitation equipment

Empty Applicator Bottles with Label	
750ml Spray	ACIPB-0750GP
1.5L Pump-Up	ACIPS-1500GP

## EVERYDAY. EVERYTHING

- Penetrates deep through rust, frees up rusted tools & components
- Stops squeaks for longer
- Lubricant for drilling, tapping & machining
- Cleans, rejuvenates and extends life of metal, timber, vinyl, plastic, leather, rubber, fibreglass & powder coated surfaces
- Internal storage protection of critical spares & parts
- Protection of electrical equipment & components - non conductive to 70,000 Volts
- Long lasting and resists wash off
- Prevent problems before they arise

Replaces these types of products

- Penetrant
- Cutting Oil
- Light Lubricant
- Corrosion / Rust Protector
- Electrical Protectant
- Silicone Spray
- Rejuvenator - Leather Plastic & Vinyl
- Lubricating Oil



# Heavy Duty FOOD GRADE Lubricant | Corrosion Inhibitor | Anti-Seize



Size	Code	Size	Code
400g Aerosol	HD/PP-0400	20 Litre	HD/0020
750ml Spray	HD/SP-0750	200 Litre*	HD/0200
5 Litre	HD/0005	1000 Litre*	HD/1000

\*requires agitation equipment

Empty Applicator Bottles with Label	
750ml Spray	ACIPB-0750HD
1.5L Pump-Up	ACIPS-1500HD

## WHEN THE GOING GETS TOUGH!

- Long lasting lubrication and protection in corrosive environments
- Non-fling high-speed & load bearing chain (x-ring & o-ring); and wire rope lubrication and protection
- Spray on anti-seize
- Marine grade protectant and lubricant
- External storage & shipping protection
- Protection of electrical equipment & components including battery terminals, boxes, connectors, outboard motors & pumps - non conductive to 70,000 Volts
- Cable pulling lubricant
- Extends service intervals of plant & equipment

Replaces these types of products

- Marine Grade Lubricant
- Anti-Seize
- Tacky Lubricant
- Corrosion / Rust Protectant
- Chain Lube
- Spray Grease
- Battery Terminal Protectant
- Wire Rope Spray





# Wire Rope Lube

Lubricant | Corrosion Inhibitor

## PENETRATES + LUBRICATES + PROTECTS

Replaces these types of products



- Provides long lasting lubrication and corrosion protection to wire ropes & slings
- Penetrates to the core of the rope, whilst remaining on the outer strands
- Suitable for wire ropes over 16mm or any wire ropes working in corrosive environments
- Ideal for use around waterways, coastal locations and environmentally sensitive areas (including rig, marine & portainer cranes, working in the splash zone)
- Easy to apply via spray, brush or dipping bath
- Semi fluid formula

- Wire Rope Lube
- Heavy Fluid Lubricant
- Corrosion Protector

Size	Code
20 Litre	HWRL20-CUBE
200 Litre*	HWRL200
1000 Litre*	HWRL1000

\*requires agitation equipment



# Type A Grease



Anti-seize | Lubricant | Corrosion Inhibitor

## NATURE'S SECRET WEAPON

Replaces these types of products



- Anti-seize for nuts, bolts, shackles & threaded rod
- Stops galling of stainless steel & aluminium
- Stops electrolysis due to dissimilar metal contact
- Rubber grease and assembly lubricant
- Non perishing to rubber (including hoses, O-rings & seals)
- Di-electric grease for multi-pin plugs (70kV)
- Protection of electrical equipment & components from moisture ingress, including multi-pin plugs and connectors
- Drilling and cutting compound
- Welding nozzle dip
- Wire rope lubricant (via pressure injection)

- Rubber Grease
- Assembly Grease
- Nickel Anti-Seize
- Copper Anti-Seize
- Silver Anti-Seize
- Petroleum Jelly
- Nozzle Dip
- Wire Rope Grease

Size	Code	Size	Code
250ml Tube	GS1250T	1 Litre	GS10001
235ml	GS10235	4 Litre	GS10004
500ml	GS10500	20 Litre	GS10020
		200 Litre	GS10200





# Timber Seal Timber Treatment



### FOR DRESSED TIMBER

- For decking, outdoor furniture, fencing, gates, and cladding
- Penetrates into the timber, providing a natural finish
- Prevents drying, splitting, cracking & wood rot
- For weatherproofing and storage of external timber
- Can be tinted to restore colour (use oil-based tint)
- Protect metal fastenings and fittings from corrosion
- Highlights natural grain & features
- Can be sprayed, brushed or rolled
- Can be polished to a low sheen

Replaces these types of products

- Timber Treatment
- Decking Oil
- Wood Preserver
- Waterproofer

#### Coverage

Hardwood	NEW	10-15m <sup>2</sup> /L
Hardwood	OLD	8-10m <sup>2</sup> /L
Softwood	NEW	8-10m <sup>2</sup> /L
Softwood	OLD	6-8m <sup>2</sup> /L

\*Approximate coverage only



# Timber Seal PLUS Timber Treatment



### FOR ROUGH SAWN TIMBER

- For boardwalks, jetties, bridges & rough sawn fence posts and railings
- Safe for environmentally sensitive areas and waterways
- Penetrates into the timber, providing a natural finish
- Prevents drying, splitting, cracking & wood rot
- For weatherproofing and storage of external timber
- Can be tinted to restore colour (use oil-based tint)
- Protect metal fastenings and fittings from corrosion
- Highlights natural grain & features
- Can be sprayed, brushed or rolled

Replaces these types of products

- Timber Treatment
- Wood Preserver
- Waterproofer

Coverage  
5-6m<sup>2</sup> per litre

Please Note  
Timber Seal PLUS is too thick for domestic decking applications, and is therefore not recommended





# Release Agent

Concrete Release Agent

## FORM OIL, BOND BREAKER



- Concrete (mix 1:6 parts water)
- Formwork Release Agent
  - Tilt Panel Bond Breaker
  - Precast Mould Oil
- Scaffolding (mix 1:4 parts water)
- Lubricant for jacks & fittings
  - Spatter protection for tubes, jacks & fittings
- Safe for environmentally sensitive areas and waterways
  - Safe for PVC, fibreglass, polypropylene and rubber moulds. Does not affect polystyrene
  - Non staining for coloured concrete
  - Low suction between panels
  - Protection of equipment from concrete overspray

Replaces these types of products

- Release Agent
- Tilt Panel Bond Breaker
- Precast Mould Oil
- Lubricant for Jacks & Fittings

Coverage

Approx 25m<sup>2</sup> per litre of post mix  
(A 2.9L Release Agent mixed 1:6 with water = 500m<sup>2</sup> approx of coverage)

Please Note

Release Agent is compatible with paints and waterproof membranes. Contact Lanotec for specific information



# Lano-Form

Concrete Release Agent

## PREMIXED CONCRETE RELEASE AGENT



- Ready to use concrete release agent
- Formwork Release Agent
  - Tilt Panel Bond Breaker
  - Precast Mould Oil
- Safe for environmentally sensitive areas and waterways
  - Convenient when there is limited access to water for mixing concentrate
  - Safe for PVC, fibreglass, polypropylene and rubber moulds. Does not affect polystyrene
  - Non staining for coloured concrete
  - Low suction between panels
  - Protection of equipment from concrete overspray

Replaces these types of products

- Release Agent
- Tilt Panel Bond Breaker
- Precast Mould Oil
- Lubricant for Jacks & Fittings

Coverage

Approx 25m<sup>2</sup> per litre

Please Note

Lano-Form is compatible with paints and waterproof membranes. Contact Lanotec for specific information





## Lanotec U.P. (Ultimate Protection)

Corrosion Inhibitor

### THE ULTIMATE IN CORROSION PROTECTION

Replaces these types of products



- Forms a low-tack protective skin which is moisture, salt, acid and fertiliser resistant
- Stops rust dead in its tracks
- Ideal for 4WD and Light Vehicle underbodies
- For mining equipment (offshore & underground)
- For ag equipment, storage facilities and vehicles
- Component storage protection
- Corrosion protection for shipping
- Drill pipe protection including threads and casing
- Hermetically seals the surface
- Skin formed is self healing

Protective Wax

Soft Seal

Fish Oil

Corrosion / Rust Protector

Steel Preserver

Cavity Wax

Coverage

Approx 20m<sup>2</sup> per litre

Only one light coat is required

Viscosity



## Anti-Spatter

Welding Anti-Spatter | Corrosion Inhibitor

### FOR MIG & ARC WELDING

Replaces these types of products



- Can be sprayed directly onto the weld area without affecting weld integrity
- Does not contain Methylene Chloride - a known carcinogen
- Can be applied in hard to reach areas reducing the need for a grinder
- Does not affect galvanising process
- Corrosion and spatter protection of welding beds, robots and spot welders
- Can be used to protect and prolong the life of welding gloves and aprons
- Lubricant for cutting, drilling, pressing & machining
- Short term corrosion protection

Anti-Spatter

Cutting Fluid

Leather Glove Protector

Rust Protection Spray

Nozzle Spray

Jig Protectant



## Citra-Force



Cleaner | Degreaser

### POWERFUL CITRUS BASED CONCENTRATE

Replaces these types of products

Size	Code	Size	Code
400g Aerosol	CFVPP-0400	5 Litre	CFV0005
750ml Spray	CFISP-0750	20 Litre	CFV0020
1 Litre	CFV0001	200 Litre	CFV0200

Empty Applicator Bottles with Label			
750ml Spray	ACIPB-0750CF	1.5L Pump-Up	ACIPS-1500CF

- Machinery and plant cleaner, for use around workshops and wash bays
- Cleans stainless steel and aluminium without streaking
- Cleaning of electrical components and rewinds - non conductive to 22,000 Volts
- Designed to remove Lanotec lanolin based products
- Ideal for catering & workshop floors, pet stables, toilets, bathrooms, BBQ's, tiles & ovens
- Removes wax, tar, oil, uncured silicone, grease thread dope, bugs, fresh paint, adhesives & electrical carbon
- Dilute with water for desired strength

Stainless Steel Cleaner

Adhesive Remover

Quick Break Degreaser

Engine Degreaser

Pet Safe Cleaner

BBQ Cleaner

Bitumen Remover

Decarbonizing Fluid



## PowaWash

Cleaner | Degreaser

### INDUSTRIAL STRENGTH CONCENTRATE

Replaces these types of products

Size	Code	Size	Code
5 Litre	PWW0005	200 Litre	PWW0200
20 Litre	PWW0020	1000 Litre	PWW1000

Empty Applicator Bottles with Label			
750ml Spray	ACIPB-0750PW	1.5L Pump-Up	ACIPS-1500PW

- Efficiently removes bitumen based greases (including crater grease)
- Asphalt remover and clean up
- Parts washing fluid for parts cleaning baths
- Industrial strength, water soluble
- Machinery and plant cleaner, for use around workshops and wash bays
- Suitable where non flammable cleaners are required (e.g. offshore & underground)
- Safe cleaning solution for heights safety & lifting equipment
- Flash dries after water flush
- Leaves no residue when rinsed
- Improves performance of oil/water separators

Quick Break Degreaser

Parts Washing Fluid

Asphalt Remover

Workshop Cleaner

Engine Degreaser

Blackjack Remover

Wax & Grease Remover

Safety Harness Cleaner

