



TOOLS & MACH



200mm BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 600W induction motor Capacitor start for maximum performance
- 915mm x 50mm belt 178mm disc 25mm wide grinding wheel Durable cast iron body • Heavy duty tool rest (PO362-200)

\$499

2.5HP DIRECT DRIVE AIR COMPRESSOR

- Ideal builder's compressor
- Single cast iron cylinder pump with aluminium head • Filter regulator
- 240v 10amp Large 50L tank
- FAD 175 L/min (TM350-25050)



1/2" DRIVE IMPACT SOCKET SET - 11PCE

• \$59.00 Value (TM371-001)





HOLEMAKER **PRO 35**

MAGNETIC BASE DRILL

- · Quality, Compact & Robust European Made Machine
- · Lightweight, only 10kg! Ideal for onsite & overhead tasks
- · Capacity (diameter) 35mm
- Capacity (deptn) oznania carany feed coolant system with magnetically · Capacity (depth) 52mm · Gravity in plastic carry case (HMPRO35)



CÚTTERS PLUS PIN \$168 Value (ASSET-Z)

14, 18 & 22MM

300mm x 180mm **METAL BANDSAW**

- Swivel vice enables 0° to 45° mitre cuts
- Taiwanese made machine Hydraulic downfeed • 1HP, 240V • 4 speed belt drive
- Rectangle cut capacity @ 90° 300 x 180mm
- Rectangle cut capacity @ 45° 120 x 115mm (UE712A)



5 LITRE METAL CUTTING
FLUID \$129 Value
(MF-5LITRE)





MULTITOOL BELT GRINDING MACHINES

Multitool



150_{MM} BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

• Powerful 370W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO362-150)



200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

• Powerful 600W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO362-200)





1220 x 50mm BELT & DISC GRINDING ATTACHMENT

• 200mm contact wheel • Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO8CW)



SHARPENING JIG

 Sharpening jig accessory enables a professional result when sharpening chisels, planer blades, and screwdrivers • For sharpening chisels up to 51mm, hand plane blades up to 60mm and power planer blades up to 82mm • Slotted screwdrivers up to 10mm square can also be retipped • Fits all Multitools except 8CW (POJIG)



250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

• Powerful 900W induction motor • Capacitor start for maximum performance • 1220mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO482-250)



250_{MM} BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

• Powerful 900W induction motor • Capacitor start for maximum performance • 1220mm x 100mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO484-250)



\$269

915 x 50_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO362)



\$449

915 x 100_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO364)



1220 x 100_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO484)



Suitable for grinding ends square and adjust lengths and angles • For use with all Multitool models • Table can be tilted up 5°, down 50° • Table size 110 x 204mm (POMTA)

\$12⁹⁵

ADJUSTABLE PIN SPANNER

• Fits most grinders and saws (POSPANNER)

\$499

1220 x 50_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO482)

GRINDERS, BEVELLERS & WELDING CARRIAGES





150MM BENCH GRINDER

- 370W 25mm width grinding wheels, 36 & 60 grit
- Durable cast iron body Vibration absorbing pads
- Heavy duty tool rests (TM400-150)
- Stand to suit \$99 (TM403-010)



200MM BENCH GRINDER

- 600W 25mm width grinding wheels, 36 & 60 grit
- · Durable cast iron body · Vibration absorbing pads
- Heavy duty tool rests (TM400-200)
- Stand to suit \$99 (TM403-010)



250MM BENCH GRINDER

- 900W 25mm width grinding wheels, 36 & 60 grit
- Durable cast iron body Vibration absorbing pads
- Heavy duty tool rests (TM400-250)
- Stand to suit \$169 (TM403-012)

\$11<u>9</u>5 **BELT GRINDER** • Quality, durable construction Made in Taiwan • 1.5KW 240V motor · Smooth, low vibration operation · Large sturdy base • 100mm width belt 1500mm length belt (GS4591C)

GRIMAX

BELT GRINDERS

• European made • Smooth low vibration high output operation • 2860rpm belt speed • Precise belt tracking adjustment • Safety stop switch

- 3KW, 415V motor
- 75mm width belt
- 2000mm length belt (GRIMAX75)





- 3.6KW, 415V motor
- 150mm width belt
- 2000mm length belt (GRIMAX150)



BM-16 PORTABLE BEVELLER

- Plate & pipe beveller Produces burr free angled or radius bevels quickly and easily • For milling steel, aluminium, brass or plastic • 22.5° to 65° working range and R2 to R5 radius edging depending on milling head (available separately)
- 16mm maximum bevel width 2200W 240V motor 1800





BM-21 BEVELLER PLATE & PIPE BEVELLING MACHINE

- Newly designed single milling head with 10 square inserts which is fast & easy to set up
- Low vibration model 0 to 60° working range • Face grinding at 0° • 21mm maximum bevel width • Universal guide system also bevels pipe 150 - 300mm diameter • 1600W 240v induction motor • 2800rpm • 21kg (BM21)



MACHINE

ABM-14 PLATE & PIPE BEVELLING

• Bevel plate and pipe made of mild steel, alloy steel, stainless steel or aluminum alloys • Auto feed on large plates with optional trolley • 2.6 m/min maximum auto bevel speed • 14mm maximum bevel width • 30° standard bevel angle, optional angle variation devices for 22.5°, 25°, 35°, 37.5° & 45° • 100mm Minimum pipe ID • 2200W 415V motor • Low noise 70dB • Weight 65kg (ABM14)



MINI SPIDER FILLET WELDING CARRIAGE

- Battery-powered welding tractor designed to produce continuous fillet welds using MIG torches • Compact and lightweight design to weld in narrow spaces, 200mm minimum working width • Horizontal speed: 0-110 cm/min
- 4 wheel drive with magnetic base allows for vertical & horizontal welding closed loop speed stabilization system Includes battery, charger sold separately (WA-SPIDER)



• 240V or battery-powered options available • 4 wheel drive with magnetic base allows for vertical & horizontal welding • Torch holder mechanism for different types of MIG torches with diameters of 16 22mm • Constant and repeatable travel speed with closed loop stabilization system enables specific weld bead geometery. (WA-GECKO)



RAIL TUG - TRACK MOUNTED FILLET WELDING CARRIAGE

- Produce butt and fillet welds without oscillation
- Uses Rigid, Semi-flexible, HI-flex & Pipe ring track on ferrous and non-ferrous materials • Very wide range of tracks & accessories available to customise the machine to the job
- Accepts MIG torches with diameters of 16 22mm Closed loop speed control system • Some components shown in image are sold separately, see website for list of included components: www.itmtools.com.au (WA-RAILTUG)



METAL CUTTING SAWS

ITM bandsaws are industrial quality machines, designed for all day use in demanding metal fabrication workshops.

- Made in Taiwan
- Quality casting & componentry
- Industry proven with over 20 years on the Australian market











Model	UE125DV	UE712A	WP210SH-1	WP210SH-3	WP210SHV-1	WP270SH-1	WP270SH-3
Features	• Swivel head 0° to 60°	Swivel vice, 0° to 45°	Swivel head 0° to 0			Swivel head 0° to 60°	
	Emergency Stop Switch	Hydraulic downfeed	Hydraulic down fee	ea		 Hydraulic down feed 	
Motor	0.4HP, 240V	1HP, 240V	1HP, 240V	1HP, 415V	1HP, 240V	1HP, 240V	1.5HP, 415V
Speed	Variable	4 speed	1 speed	2 speed	Variable	1 speed	2 speed
	23-75mpm	22, 33, 45, 65mpm	80mpm	40 & 80mpm	20-85mpm	72mpm	36 & 72mpm
Rectangular Capacity 90°	120 x 120mm	300 x 180mm	210 x 95mm	210 x 95mm	210 x 95mm	260 x 110mm	260 x 110mm
Square Cut Capacity 90°	120 x 120mm	180 x 180mm	170 x 170mm	170 x 170mm	170 x 170mm	220 x 220mm	220 x 220mm
Square Cut Capacity 45°	70 x 70mm	110 x 110mm	120 x 120mm	120 x 120mm	120 x 120mm	145 x 145mm	145 x 145mm
Price	\$825	\$1495	\$2295	\$2295	\$2595	\$2895	\$2895



Model	WP275DS-1	WP275DS-3	WP275DSV-1	WP310DS-3	WE350DS	WE350DSA-3
Features	 2 way swivel head 	l 0° to 60°		• 2 way swivel head 0° to 60°	• 2 way swivel head 0° to 60°	Semi-automatic function
	Hydraulic down fe	eed		Hydraulic down feed	Hydraulic down feed	• 2 way swivel head 0° to 60°
Motor	1HP, 240V	1.5HP, 415V	1.5HP, 240V	2HP, 415V	2HP, 415V	2HP, 415V
Speed	1 speed,	2 speed,	Variable	2 speed 36, 72mpm	2 speed 34, 68mpm	2 speed 34, 68mpm
	72mpm	36, 72mpm	20-85mpm			
Rectangular Capacity 90°	260 x 110mm	260 x 110mm	260 x 110mm	310 x 210mm	350 x 220mm	350 x 220mm
Square Cut Capacity 90°	220 x 220mm	220 x 220mm	220 x 220mm	250 x 250mm	260 x 260mm	260 x 260mm
Square Cut Capacity 45°	145 x 145mm	145 x 145mm	145 x 145mm	200 x 200mm	220 x 220mm	220 x 220mm
Price	\$4495	\$4495	\$4795	\$5195	\$7295	\$8995



Model	MB-280CSO-1	MB-280CSO-3	MB-330CSO-1	MB-330CSO-3	MB-330MS-3	MB-411CSO-3	MB-411MS-3
Features	 Swivel head 0° to 6 Hydraulic down fee 		2 Way swivel headHydraulic down fee		Semi-automatic function 2 Way swivel head 0° to 60°	 2 Way swivel head 0° to 60° Hydraulic down feed 	Semi-automatic function 2 Way swivel head 0° to 60°
Motor	1.5HP, 240V	1.5HP, 415V	1.5HP, 240V	1.5HP, 415V	1.5HP, 415V	2HP, 415V	2HP, 415V
Speed	1 speed 64mpm	2 speed 32, 66mpm	1 speed 75mpm	2 speed 38, 78mpm	2 speed 38, 78mpm	2 speed 38, 77mpm	2 speed 38, 78mpm
Rectangular Capacity 90°	250 x 155mm	250 x 155mm	330 x 220mm	330 x 220mm	330 x 220mm	400 x 200mm	400 x 200mm
Square Cut Capacity 90°	215 x 215mm	215 x 215mm	250 x 250mm	250 x 250mm	250 x 250mm	280 x 280mm	280 x 280mm
Square Cut Capacity 45°	150 x 150mm	150 x 150mm	210 x 210mm	210 x 210mm	210 x 210mm	220 x 220mm	220 x 220mm
Price	\$5495	\$5495	\$9495	\$9495	\$12495	\$11495	\$14495

METAL CUTTING SAWS









Model	MB-420DI-3 Bandsaw	MB-650DI-3 Bandsaw
Features	Semi-automatic	Semi-automatic
	• 2 Way swivel head 0° to 60°	• 2 Way swivel head 0° to 60°
Rectangular Capacity 90°	550 x 400mm	620 x 450mm
Square Cut Capacity 90°	400 x 400mm	450 x 450mm
Square Cut Capacity 45°	380 x 380mm	430 x 430mm
Motor	2HP, 415V	2.95HP, 415V
Speed	Variable 22 - 73mpm	Variable 23 - 95mpm
Price	\$22,500	\$26,995



Model	S14		
Description	350mm Cold Cut T.C.T. Saw		
Features	Swivel vice, 0° to 45°		
Cut Capacity 90°	120 x 120mm		
Cut Capacity 45°	120 x 90mm		
Motor	3HP, 240V		
Speed	1 speed 1450rpm		
Price	\$749		



MAGNETIC BASE DRILLS DRILL BIT SHARPENERS





ITEM



HOLEMAKER PRO 35

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg! Ideal for onsite & overhead tasks • Capacity (diameter) 35mm • Capacity (depth) 52mm • Gravity feed coolant system with magnetically attached bottle • Comes complete in plastic carry case (HMPRO35)



\$1495

HOLEMAKER PRO 40

- Durable & Versatile, European Made Machine
- Capacity (diameter) 40mm • Capacity (depth) 52mm
- Through cutter coolant system • Comes complete in metal carry case • 12.5kg (HMPRO40)



HOLEMAKER PRO 36AD

Ultra low profile, constant working height of 176mm Super lightweight, only 9.5kg!
 Capacity (diameter) 36mm • Capacity (depth) 30mm • Squeeze bottle coolant system • Comes complete in metal case (HMPRO36AD)



Holemaker Drilling Solutions By ITM ®

HOLEMAKER PRO 50

- · Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm · Capacity (depth) 52mm
- #2 Morse taper spindle, for
- use with drill chucks, taper shank drills, reamers etc. • Powerful 1260W motor &
- 2 speed gearbox 16.5kg (HMPRO50)



\$3775

HOLEMAKER PRO 75

• #3 Morse taper variable speed machine • Capacity (diameter) 75mm • Capacity (depth) 75mm (110mm with optional arbor) • 32mm #3MT drill bit capacity • 2 speed gearbox with electronic variable speed 80 to 160rpm; 210 to 420rpm • 1650W motor output • Motor soft start (HMPRO75)



\$4600

HOLEMAKER **PRO 110**

- Large Capacity #4 Morse Taper Heavy Duty Machine
- · Capacity (diameter)
- 110mm Capacity (depth) 75mm (110mm with optional arbor) • 47mm #4MT drill bit capacity • 4 speed heavy duty mechanical gearbox
- 1650W motor output (HMPRO110)







HOLEMAKER 35 PNEUMATIC

• Pneumatic powered angle drive machine • Capacity (diameter) 35mm • Capacity (depth) 25mm • Constant working height of 183mm • Certified ATEX II2G/D C IIC T6; T4 motor & body for areas with risk of explosion

European made (HMP35AD-ATEX)



• #2 Morse taper, pneumatic powered machine • Capacity (diameter) 45mm • Capacity (depth) 52mm • 23mm #2MT drill bit capacity • 2 speed 190 / 290rpm • Motor & body certified ATEX II2G/D C IIC T6; T4 motor & body for areas • with risk of explosion • European made (HMP45-ATEX)



Depth	Part No.	Price
25mm	AT1225	\$52.50
25mm	AT1425	\$53.50
25mm	AT1625	\$57.50
25mm	AT1825	\$60.00
25mm	AT2025	\$63.50
25mm	AT2225	\$73.00
25mm	AT2425	\$78.50
	25mm 25mm 25mm 25mm 25mm 25mm	25mm AT1225 25mm AT1425 25mm AT1625 25mm AT1825 25mm AT2025 25mm AT2225

HOLEMAKER GOLD SERIES ANNULAR CUTTERS

 Available in 1 mm increments from 12 to 52mm diameter • Titanium nitride coating • M2AL high speed steel material • Step hardened process • Multi-cut geometry • Fully ground with internal relief • Universal shank • Available in sizes : 12 - 60mm diameter, 25 to 75mm depth of cut





\$269

DRILL DOCTOR XP DRILL BIT SHARPENER

• 2.5mm to 13mm drill bit capacity • Creates & sharpens split point bits • 118° sharpening angle • Adjustable relief angle • 240V motor • 3 year warranty (DDXP)



DRILL DOCTOR 500X DRILL BIT SHARPENER

- Tradesman model 2.5mm to 13mm drill bit capacity
- 118° or 135° sharpening angle Creates & sharpens split point bits • 3 year warranty (DD500X)



DRILL DOCTOR 750X DRILL BIT SHARPENER

• Top of the line tradesman model • 2.5mm to 19mm drill bit capacity • 115° to 140° sharpening angle • Creates & sharpens split point bits • 3 year warranty (DD750X)

DRILLS VENTILATORS



BELT DRIVE BENCH & PEDESTAL DRILLS

· Quality casting, construction & componentry · Emergency stop NVR safety switch • Chuck safety guard • Drill chuck & arbor • Drill drift (on MT models)



13mm capacity • 13mm B16 chuck • 1/2HP, 240V motor • 5 speed • 680mm height • 27kg weight (TD1013)



- 16mm capacity 16mm B16 chuck • #2 MT Spindle
- 1/2HP, 240V motor 16 speed • 980mm height
- 50kg weight (TD1316)



B16 chuck • #2 MT Spindle • 3/4HP, 240V motor • 16 speed • 1580mm height • 60kg weight (TD1316F)



• 20mm capacity • 20mm B22 chuck • #3 MT Spindle • 1HP. 240V motor • 12

speed • 1600mm height • 80kg weight (TD1420F)



• 25mm capacity • 20mm B22 chuck • #3 MT Spindle • 2HP. 240V motor • 12

speed • 1710mm height • 120kg weight (TD1825F)



 32mm capacity • 20mm B22 chuck • #4 MT Spindle • 2HP, 240V motor • 12 speed • 1710mm height

• 145kg weight (TD2032F)

EXTRA HEAVY DUTY DRILLS

· Quality Taiwanese machines with heavy duty casting and construction for proven lasting durability in industrial workshops

K1720HFD

- · 23mm capacity • 16mm #3 JT chuck
- #2 MT Spindle
- 1HP, 240V motor
- 12 speed
- 1600mm height
- 78kg weight



- 32mm capacity
- 16mm #3 JT chuck
- #3 MT Spindle • 1.2HP, 240V motor
- 12 speed
- 1752mm height
- 158kg weight



GEARED HEAD DRILLING MACHINE

QUALITY PRECISION MACHINE FOR DRILLING & TAPPING

- #4 Morse taper spindle
- · Micro feed precision
- · Geared head tilts 90° right & left • Forward and reverse operation • Accessories include arbor, drill chuck, drill sleeves • 40mm capacity • 1.5HP motor, 6 speed gearbox • 1770mm height • 320kg weight
- 240V (TGD400-1) or 415V (TGD400-3)

GEARED HEAD DRILLING & MILLING MACHINE

• All the features of the TGD400 combined with : Milling table, Recirculating coolant system

• 240V (TGMD400-1) or 415V (TGMD400-3)

3395



PORTABLE VENTILATOR SETS

• Suitable for air/fume extraction or blowing fresh air • Ideal ventilation for workshops and confined areas • Includes 5 metre expandable ducting • Large capacity motor creating a very high flow rate • Specially designed axial propeller • High static pressure



- 200mm 150W Motor
- 25m³/min Flow Rate (TPV200SET)
- 300mm 550W Motor
- 60m³/min Flow Rate (TPV300SET)

(TPV400SET)


- 400mm 1500W Motor • 128m3/min Flow Rate
- 500mm 1500W Motor
- 138m³/min Flow Rate (TPV500SET)
- 600mm 2200W Motor
- 290m³/min Flow Rate (TPV600SET)

INDUSTRIAL QUALITY PETROL GENERATORS

TRADE SERIES

ITM Trade Series generators are equipped with a reliable AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate electronic devices.

- Powerful 4 stroke OHV engines
- Low oil sensor
- Digital multimeter display
- · Large capacity fuel tanks





Model No.	TM510-2300	TM510-2800	TM510-3400	TM510-5500	TM510-6500
Engine HP	6HP	7HP	8HP	13HP	15HP
KVA	2.8	3.5	4	6.8	8.1
Max Watts	2,300	2,800	3,400	5,500	6,500
Rated Watts	2,000	2,500	3,200	5,000	6,000
Noise @ 7m Full Load	75dB	75dB	76dB	78dB	79dB
Outlets	2 x 15A				
Fuel Tank	15L	15L	15L	25L	25L
Running Time - 50% load	19 hours	16 hours	14 hours	13 hours	12 hours
Starting System	Recoil	Recoil	Electric	Electric	Electric
Handle & Wheel Kit	No	No	No	Yes	Yes
Net Weight	41Kg	44Kg	52Kg	81Kg	85Kg
Price	\$699	\$799	\$999	\$1499	\$1699





CONSTRUCTION SERIES

The Construction Series models have a simple push button electric start (battery included) with a convenient remote control which is perfect for the large property or worksite where the generator may not be close to the tool being powered.

All models come complete with a heavy duty handle and wheel kit, IP66 rated power outlets and RCD (Residual Current Device.) The construction series gens are perfect for the professional tradesman needing a tough yet reliable source of power.











Model No.	TM520-3400	TM520-5500	TM520-6500	TM520-8000
Engine HP	8HP	13HP	15HP	17HP
KVA	4	6.8	8.1	10
Max Watts	3,400	5,500	6,500	8,000
Rated Watts	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	76dB	78dB	79dB	80dB
Outlets	1 x IP66	2 x IP66	2 x IP66	2 x IP66
Fuel Tank	15L	25L	25L	25L
Running Time - 50% load	14 hours	13 hours	12 hours	10 hours
Starting System	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote
Handle & Wheel Kit	Yes	Yes	Yes	Yes
Net Weight	54Kg	83Kg	88Kg	95Kg
Price	\$1199	\$1699	\$1899	\$2099









EHOMA GENERAL PURPOSE FORGED STEEL CLAMPS

 For general purpose clamping applications • Swivel pad

-1-1-			
Span x Depth	Clamping Force	Part No.	Price
160x80mm	300kg	EC-G16CS	\$36.00
200x100mm	450kg	EC-G20CS	\$46.00
250x120mm	550kg	EC-G25CS	\$57.50
300x140mm	670kg	EC-G30CS	\$69.90
400x175mm	1000kg	EC-G40CS	\$94.50
600x175mm	1000kg	EC-G60CS	\$108.00
800x175mm	1000kg	EC-G80CS	\$125.00



EHOMA HEAVY DUTY FORGED STEEL CLAMPS

- Larger rail sizes 30x15mm
- For heavy duty applications
- · Changeable clamping heads
- Socket drive handle
- Up to 1000mm span available

Span x Depth	Clamping Force	Part No.	Price
300x140mm	1200kg	EC-GS30C	\$130
400x120mm	1200kg	EC-GS40C	\$140
500x140mm	1200kg	EC-GS50C	\$153
600x120mm	1200kg	EC-GS60C	\$162



EHOMA QUICK ACTION FORGED STEEL CLAMPS

• Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping

Span x Depth	Clamping Force	Part No.	Price
160x80mm	300kg	EC-G16L	\$75
200x100mm	350kg	EC-G20L	\$85
300x140mm	500kg	EC-G30L	\$119
400x120mm	550kg	EC-G40L	\$127
500x120mm	550kg	EC-G50L	\$133



- 4 Nozzles included: 2.4mm, 3.2mm, 4.0mm & 4.8mm • Spring loaded handle for automatic ejection of mandrel
- Smooth, easy one-handed operation
- High grade aluminium construction
- Chrome Molybdenum heat treated 3 jaw system (TM620-005)



EASY PULL TWIN HANDLE RIVETER

• Chrome molybdenum steel collet • 3 Jaw system • 5 Nozzles : 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm • Premium quality • Alloy body & Rubber grip handle (TM620-008)



HEAVY DUTY LAZY TONG RIVETER

• Premium quality • Single pull action designed for fast repetitive applications • Strong aluminium alloy body • Chrome molybdenum steel collet • 3 Jaw system • 5 Nozzles : 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm (TM620-012)



NUTSERT HAND RIVETER

- Premium quality
- Cast aluminium construction
- · Easy change mandrels
- Sets 3, 4, 5 & 6mm rivet nuts (TM620-014)



FORGED HANDLE BOLT CUTTERS

- Two stage heat treated precision machined jaws for extended cutting and resilience
- Adjustable arms
- · Solid forged steel handles for durability
- Non-slip comfort rubber grips
- Built in stops for added safety

Length	Part No.	Price
350mm	TM600-035	\$39
450mm	TM600-045	\$59
600mm	TM600-060	\$79
750mm	TM600-075	\$99
900mm	TM600-090	\$149
1050mm	TM600-105	\$199



EXTRA HEAVY DUTY BOLT CUTTERS

- Optimal performance for cutting high tensile material
- Two stage heat treated, precision machined jaws for extended cutting and resilience
- · Adjustable arms
- · Solid forged steel handles for durability
- · Built in stops for added safety

Length	Part No.	Price
750mm	TM601-075	\$129
900mm	TM601-090	\$179
1050mm	TM601-105	\$229





C CLAMP SWIVEL PAD 275MM (TM603-101) 275MM (TM603-102)



SWIVEL PAD 450MM (TM603-103)



SHEET METAL **LOCKING PLIER** 200MM (TM603-500)

WELDING CLAMP **LOCKING PLIER** 220MM (TM603-600)



PIPE BENDERS PARTS CABINETS



1" TUBE BENDER

- 3/8", 1/2", 9/16", 5/8", 3/4", 7/8", 1" Cast formers
- 0° to 180° Bending angle
- · Bench mountable
- · Supplied in robust plastic carry case (TM810-025





1" HYDRAULIC PIPE BENDER

- 3/8", 1/2", 3/4", 1" cast steel formers
- 0° to 90° Bending angle
- . 6,000kg Force capacity
- 150mm Stroke
- · Supplied in metal carry case (TM811-03025



2" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2" cast steel formers
- 0° to 90° Bending angle 13,000kg Force capacity
- 250mm Stroke Heavy duty castor wheels (TM811-13050)




3" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2/1/2", 3" formers • 0° to 90° Bending angle • 20,000kg Force capacity
- 290mm Stroke Heavy duty castor wheels (TM811-20075)



4" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2/1/2", 3", 4" formers
- 0° to 90° Bending angle 20,000kg Force capacity
- 370mm Stroke Heavy duty castor wheels (TM811-20100)





ST2 SERIES


• 60 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST2460)





A8 SERIES

• 60 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-A8560)





ST1 SERIES

• 75 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST1575)





• 36 drawers • Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer • 586Wx 290Dx 937H (PB-A5336)

PB-A7448 **48 DRAWERS** 586Wx222Dx937H

A7 SERIES





• Transparent PS plastic window • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer





Pipe Diameter Part No. 8 - 68mm TM114-068 8 - 78mm TM114-078 TM114-120 13 - 120mm



WORKSHOP BENCH VICES

- Hardened steel jaws Close grained cast iron body
- Integrated anvil for shaping and beating

Jaw Width	Weight	Part No.	Price
100mm	7kg	TM098-100	\$85
125mm	10kg	TM098-125	\$124
150mm	14kg	TM098-150	\$156
200mm	22kg	TM098-200	\$220

CHAIN PIPE VICES

 Hardened steel jaws · Close grained cast iron body

Pipe Diameter	Part No.	Price
30-100mm	TM115-100	\$96
40-160mm	TM115-160	\$194
40-230mm	TM115-230	\$280



PROFESSIONAL MECHANICS BENCH VICES

Jaw Width	Weight	Part No.	Price
75mm	7.5kg	TM100-075	\$81
100mm	10.0kg	TM100-100	\$114
125mm	15.5kg	TM100-125	\$162
150mm	18.0kg	TM100-150	\$194
200mm	31 Oka	TM100-200	\$295



MULTI-PURPOSE BENCH VICE

• Jaw width : 135mm • Jaw opening : 135mm • Pipe holding capacity: 25mm - 65mm • 18.5kg • Hardened & tempered jaws • 360° Rotation with safety locking nuts • 360° Swivel base • Hardened anvil (TM101-125)



DRILL PRESS VICES

• Cast iron body • Machined steel jaws • Great for machine shops, fabrication workshops & tool rooms

Jaw Width	Jaw Height	Capacity	Weight	Part No.	Price
102mm	21mm	105mm	3.2kg	VDP102	\$42
150mm	28mm	150mm	7.2kg	VDP150	\$70



CROSS VICES

• Cast iron body • Machined steel jaws

Jaw Width	Jaw Opening	X x Y Movement	Weight	Part No.	Price
110mm	100mm	85 x 110mm	7kg	TM130-100	\$79
160mm	150mm	160 x 155mm	14.5kg	TM130-150	\$159

FABRICATED STEEL BENCH VICES

• Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



01117111	J	,	
Jaw Width	Weight	Part No.	Price
100mm	10.5kg	TM102-100	\$140
125mm	18.5kg	TM102-125	\$245
150mm	22.6kg	TM102-150	\$280
200mm	37.0kg	TM102-200	\$515



Jaw Width Weight Part No. 11.2kg TM104-100 100mm \$146 20.3kg TM104-125 125mm 25.0kg TM104-150 150mm 200mm 60.0kg TM104-200


MAGNETIC VICE JAWS

• Easy to use, simply place over existing jaws and 2 magnetic tabs hold jaws in place • Protects work piece from scoring or marking • Supplied as a pair



ALLIMINIUM FACE

ALUMINIUM I ACL				
Part No.	To Suit	Price		
TM120-100	100mm (4") Bench Vices	\$14.95		
TM120-125	125mm (5") Bench Vices	\$16.95		
TM120-150	150mm (6") Bench Vices	\$19.95		







Part No.	To Suit	Price
TM121-100	100mm (4") Bench Vices	\$14.95
TM121-125	125mm (5") Bench Vices	\$16.95
TM121-150	150mm (6") Bench Vices	\$19.95



Part No.	To Suit	Price	
TM122-100	100mm (4") Bench Vices	\$14.95	ĺ
TM122-125	125mm (5") Bench Vices	\$16.95	ĺ
TM122-150	150mm (6") Bench Vices	\$19.95	Г



RUBBER FACE

Part No.	To Suit	Price
TM123-100	100mm (4") Bench Vices	\$14.95
TM123-125	125mm (5") Bench Vices	\$16.95
TM123-150	150mm (6") Bench Vices	\$19.95

COMPRESSORS

INDUSTRIAL SERIES **COMPRESSOR FEATURES**

- Durable copper wound motors
- Full brass non-return valve
- · Soft start valve
- Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- · Thermal overload protection
- Includes filter regulator with one-touch
- "Nitto style" couplers
- 200mm Solid rubber wheels
- 3 year pump warranty



1/2" DRIVE IMPACT **SOCKET SET - 11PCE**

• \$59.00 Value (TM371-001)

\$999

2.5HP DIRECT DRIVE AIR COMPRESSOR

• Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240v 10amp • Large 50L tank • FAD 175 L/min (*TM350-25050*)



2.2HP BELT DRIVE **AIR COMPRESSOR**

• Ideal builder's compressor • V Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240v 10amp

Large 50L tank • FAD 185 L/min (TM351-22050)



2.5HP BELT DRIVE **AIR COMPRESSOR - 60L**

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240v 10amp Large 60L tank
 FAD 257 L/min (TM351-25060)



2.5HP BELT DRIVE AIR COMPRESSOR - 90L

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240v 10amp Large 90L tank
- FAD 257 L/min (TM351-25090)



3HP BELT DRIVE AIR COMPRESSOR - 50L

• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 L/min • 240v 15amp (TM351-30050)



AIR COMPRESSOR - 60L

- Ideal for commercial applications Triple cast iron cylinder pump with aluminium heads • Filter regulator
- 60L tank FAD 328 L/min 240v 15amp (TM351-30060)



AIR COMPRESSOR - 90L

- Ideal for commercial applications Triple cast iron cylinder pump with aluminium heads • Filter regulator
- 90L tank FAD 328 L/min 240v 15amp (TM351-30090)



DRIVE AIR COMPRESSOR - 60L

• Powered by Honda GX160 5.5HP engine • HD cast iron cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 L/min (TM352-55060)



5.5HP 3 PHASE, 200L STATIONARY AIR COMPRESSOR

• Ideal for commercial workshops • Twin cast iron cylinder pump with aluminium head • Soft start • Large 200L tank • FAD 507 L/min (TM353-55200)



7.5HP 3 PHASE, 270L STATIONARY AIR COMPRESSOR

· Ideal for commercial workshops · Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 704 L/min (TM353-75270)



10HP 3 PHASE, 270L STATIONARY AIR COMPRESSOR

· Ideal for commercial workshops · Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 1143 L/min (TM353-10270)

AIR HOSES AIR ACCESSORIES



TRADE SERIES COMPRESSORS

2.5HP, 36L **DIRECT DRIVE AIR COMPRESSOR**

- Single cylinder oil lubricated pump • FAD : 135 L/min
- Max Pressure : 116 PSI (8 Bar)
- Solid rubber wheels Regulated outlet with one-touch "Nitto style" connector (TM354-25036)



\$599

2.2HP, 50L BELT **AIR COMPRESSOR**

- V Twin cast iron cylinder pump FAD : 170 L/min
- Max pressure: 116 PSI (8 Bar) Solid rubber wheels
- Regulated outlet with one-touch "Nitto style" connector (TM354-22050)



- Sintered bronze filter element
- Max input pressure 175 PSI
- Max output pressure 145 PSI
- 80mL drain capacity
- Includes mounting bracket

Jiuucs I	nounting bracket	- 11
t No.	Description	Price
340-012	• 1/4" Port	\$59.90
	 Semi-auto drain 	
	• 1750 I/min max flow	

TM340-014 • 1/2" Port





15M HOSE REEL

• Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (TM300-015)



20M HOSE REEL

• Hybrid high-flex air hose • Anti-kink technology · Auto lock to any length · Auto retractable · Hose length: 20m • 10mm (3/8") • Hi-visibility for safety (TM300-020)



30M HOSE REEL

• Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (TM300-030)



PVC AIR HOSES - UNFITTED

- Durable PVC Grease, oil & abrasion resistant
- Non-marking Max pressure: 300 PSI

•	•	
Description	Part No.	Price
20M 3/8" I.D.	TM300-120	\$37
30M 3/8" LD	TM300-130	\$52



PVC AIR HOSES - FITTED

• Durable PVC • Grease, oil & abrasion resistant • Nitto style fittings • Kink proof collar • Max pressure : 300 PSI

•		
Description	Part No.	Price
10M 3/8" I.D.	TM300-210	\$30
20M 3/8" I.D.	TM300-220	\$45
30M 3/8" I.D.	TM300-230	\$60



• Hybrid polymer High-Flex hose . Anti-kink technology, the hose will not kink when under

pressure • Superior all weather flexibility -5°C to 65°C • 300PSI maximum working pressure • Hi-visibility for safety

Description	ritting	rail NO.	FILLE
15M 3/8" I.D.	1/4" BSP	TM300-315	\$49
30M 3/8" I.D.	1/4" BSP	TM300-330	\$79



BULK PVC AIR HOSE

- Durable PVC Max pressure: 300 PSI
- Hose I.D.: 10mm (3/8")
- · No fittings or collar

Description	Part No.	Price
100M 3/8" I.D.	TM300-1100	\$130
200M 3/8" I.D.	TM300-1200	\$250



HIGH-FLEX AIR HOSE

• Hybrid polymer High-Flex hose • Anti-kink technology the hose will not kink when under pressure flexibility -5°C to 65°C • 300PSI max working pressure • No fittings or collar

Description	Part No.	Price	
100M 3/8" I.D.	TM300-3100	\$300	
100M 1/2" I.D.	TM300-4100	\$400	
100M 3/4" I.D.	TM300-5100	\$650	



- BAR, PSI, KPA & KG/CM²
- 0 to 220 PSI range
- 1/4" BSP inlet (TM340-001)



• BAR, PSI, KPA or KG/CM

- 40cm Hose (TM340-002)



AIR IMPACT WRENCHES AIR HYDRAULIC RIVETERS

\$360

EASY GREASE ANVIL SERIES CONTAIN

1/2" AIR IMPACT WRENCH

- Compact length, only 104mm
- Lightweight Only 1.4KG!
- Powerful 900Nm (650ft-lb)

EASY GREASE **ANVIL SERIES**

COMPACT 3/4" AIR

IMPACT WRENCH

- Only 1.9KG! • Low noise level -

Only 85DB! • Powerful - 1900Nm

(1400ft-lb) Max torque! • Compact - Only

CFM Air consumption (M7-NC6255QH)

198mm Length • 25mm Bolt capacity • 4.8

Lightweight composite body

Max Torque! • 16mm Bolt capacity • 4.69 CFM Air consumption (M7-NC4650H)

M7

\$395

M7

EASY GREASE ANVIL SERIES CONTAIN

1/2" AIR IMPACT WRENCH

- · Lightweight Only 1.7KG!
- Powerful 1650Nm (1200ft-lb)

Max Torque! • Value For

SUPER DUTY

WRENCH

3/4" AIR IMPACT

• Lightweight - Only 3.0KG!

• Low noise level - Only 88DB!

• Powerful - 2000Nm (1500ft-lb) Max torque!

Super Duty - Designed for the commercial

tyre industry • 30mm Bolt capacity
• 5.9 CFM Air consumption (M7-NC6266)

Money - High quality & specs • 25mm Bolt capacity • 4.8 CFM Air consumption

Magnesium composite body (M7-NC4255QH)

M7

M7

\$1490

WRENCH

3/4" AIR IMPACT

Sound pressure (M7-NC6218)

1/2" AIR IMPACT WRENCH

- Lightweight Only 1.8KG!
- · Compact size Only
- 141mm length! Powerful - 1500Nm (1100ft-lb)

Max torque! • 25mm Bolt

capacity • 5.1 CFM Air consumption

· Extra heavy duty twin hammer (M7-NC4256Q)

AIR HYDRAULIC RIVETER • Traction power: 2303 lbf • Alloy rivet : 3/16" • Steel rivet : 3/16" • Stainless rivet: 5/32" • Stroke length: 16mm



AIR HYDRAULIC RIVETER

 Traction power: 3534 lbf • Alloy rivet: 1/4" • Steel rivet: 1/4" • Stainless rivet : 3/16" • Stroke

length: 14mm • Net weight: 1.8kg (M7-PA201)



1" AIR IMPACT WRENCH

• Powerful - 2000Nm (1500ft-lb) Max torque!

• 5KG Weight • 92DB Noise level • 30mm Bolt capacity • 5.4 CFM Air consumption (M7-NC8217)

M7



1" AIR IMPACT WRENCH

- 3250Nm (2400ft-lb) Max torque! 36mm Bolt capacity • 10 CFM Air consumption
- 390mm Overall length 100dB Sound pressure 12.1KG (M7-NC8252)



• 2000Nm (1500ft-lb) Max torque! • 27mm

Bolt capacity • 6.34 CFM Air consumption

• 320mm Overall length • 5.7KG • 106dB

1" AIR IMPACT WRENCH

- 3650Nm (2710ft-lb) Max torque! Lightest 2500+ ft-lb impact wrench in the world
- Mighty spring in the cylinder increases the air efficiency • 39.7mm Bolt capacity
- 15.9 CFM Air consumption 370mm
- Overall length 100dB Sound pressure 11KG (M7-NC8382)



- Traction power : 3748 lbf Alloy rivet : 1/4" Steel rivet : 1/4" • Stainless rivet : 1/4" • Stroke length: 18mm • Net weight: 1.75kg
- (M7-PA211)

M7



AIR HYDRAULIC **RIVET NUT TOOL**

Traction power: 3638 lbf

- Stroke length : 9mm Net weight : 1.5kg • Comes with mandrel sizes : M4, M5, M6, M8 & M10
- Suitable for use with: Steel M4
- M10, Stainless steel M4 M8 (M7-PR2402)





1/2" **DRIVE IMPACT SOCKET SET**

• 11 Piece 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm • Chrome Molybdenum Steel (Cr-Mo), hardened and tempered (TM371-001)

1/2" DRIVE DEEP IMPACT SOCKET SET

• 11 Piece 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm • Chrome Molybdenum Steel (Cr-Mo), hardened and tempered (TM371-002)

 $\mathbf{m}_{\mathbf{7}}$

1/2" DRIVE DEEP IMPACT SOCKET SET

• 10 Piece 10, 12, 13, 14, 15, 17, 19, 21, 24, 27mm (M7-MB45010M)

AIR TOOLS





AIR NEEDLE SCALER

• Blows per minute : 5500 BPM • Net weight : 1.3kg • Needle size : 3 x 123mm (12 per set) • Overall length : 290mm (M7-SN1288)



NEEDLE SCALER

• Blows per minute: 3700 BPM • Net weight : 2.8kg • Needle size : 3 x 180mm (19 per set) • Overall length : 330mm (M7-SN2110)

M7

AIR HAMMER SET

- Blows per minute: 3200 BPM • Shank : Round 10.2mm • Air
- hammer (M7-SC211C) 5pcs Chisel kit • Spring retainer (M7-SC0517C)



Square 0.510" (13mm) • Net weight: 1.33kg (M7-SN1032)

M7



MINI AIR DIE GRINDER

• Collets: 1/4" & 1/8" • Free speed: 25000 RPM • Rated power: 0.3 HP • Length: 155mm • Net weight : 0.38kg (M7-QA111B)



AIR DIE GRINDER

• Collets: 1/4" & 1/8" • Free speed: 20000 RPM • Rated power : 0.9 HP • Length :

190mm • Net weight: 0.65kg

• Heavy duty model (M7-QA211B)

• Die grinder with 6mm collet also available



90° ANGLE HEAD AIR DIE GRINDER

• Collets : 1/4" & 1/8" • Head height : 73mm • Free speed : 19000 RPM

• Rated power : 0.3 HP • Net weight : 0.51kg (M7-QA611B)



EXTENDED AIR DIE GRINDER

• Length: 280mm • Collets: 1/4" & 1/8" • Free speed: 25000 RPM • Rated power: 0.3 HP • Net weight : 0.63kg (M7-QA315B)

AIR ENGRAVING PEN

• Blows per minute : 13000 BPM • Net weight: 0.23kg (M7-QA511)



AIR SAW SET

• Stroke length: 10mm • Quick change saw blade holder • 5 piece file set and 12 saw blades are included • Adjustable guard / guide controls depth of cut precisely . Air saw tool • 6x 24T saw blades • 6x 32T saw blades • Allen key: 4mm, 3mm • File set • Mini oiler 1/4" (M7-QD291N)



EXTRA HEAVY DUTY AIR ANGLE GRINDERS

• Free speed: 11000 RPM • 1.3 HP motor • Net weight : 1.81kg • Available with imperial or metric spindle sizes

Safety lever throttle

Diameter	Spindle	Part No.	Price		
100mm	M10x1.5	M7-QB7114M	\$470		
112mm	M14x2.0	M7-QB7245M	\$485		
125mm	M14x2.0	M7-QB7215M	\$495		
Grinding wheel not included					



Chisels supplied separately: Blade chisel (M7A-SN9201) \$42 Point chisel (M7A-SN9203) \$42



AIR CHIPPING HAMMERS

• Hex shank • Shank size : 0.58" (15mm)

• Forged steel body provides industrial level quality and durability

Blows Per Minute	Stroke Length	Overall Length	Part No.	Price
2300	78mm	373mm	M7-SN3222	\$940
1900	119mm	419mm	M7-SN3223	\$1010
1700	142mm	445mm	M7-SN3224	\$1290



RANDOM ORBITAL AIR SANDER

• Self generated vacuum • Pad diameter : 150mm • Orbit : 5mm • Free speed : 10000 RPM • Net weight : 0.68kg (*M7-QB55602*)



HIGH SPEED MINI AIR SANDER

- Pad diameters : 50mm & 75mm
- Free speed : 18000 RPM Net weight: 0.5kg (M7-QP212)



• Chuck size: 1/2" • Free speed: 800 RPM • Air requirement : 4.0CFM

• Length : 210mm • Sound pressure : 83DB • Net weight : 1.7kg • Quiet operation • Keyless chuck • Reversible (M7-QE841)



BELT SANDERS

• Free speed: 16000 RPM • Air requirement : 4.0CFM (M7-QB321 pictured)

,	•	,		
ı	Belt Size	Overall Length	Part No.	Price
Г	10 x 330mm	320mm	M7-QB321	\$295
Γ	20 x 520mm	430mm	M7-QB322	\$415
Г	12.7 x 610mm	455mm	M7-QB324	\$375



SPRAY GUNS AIR TOOLS



SUCTION FEED GENERAL PURPOSE

• 2.0mm Nozzle • 1000mL Aluminium pot (TM340-901)



SUCTION FEED PROFESSIONAL

- 1.4mm & 2.0mm Nozzles
- 1000mL Aluminium pot (TM340-902)



GRAVITY FEED PROFESSIONAL • 1.4mm & 2.0mm Nozzles • 600mL

Plastic pot (TM340-904)



S770-S SERIES

• Pot size: 1000ml • Includes: Gun, pot, stainless steel nozzle and needle • A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y person to the professional

-	•		_	
Nozzle Size	Spray Pattern	Part No.	Price	ı
1.5mm	235mm	S770-11S	\$159	U
1.7mm	245mm	S770-21S	\$159	N
2.0mm	260mm	S770-31S	\$159	
2.5mm	275mm	S770-41S	\$159	u
3.0mm	275mm	S770-51S	\$210	



GRAVITY FEED SPRAY GUN

• Pot size : 600ml • Includes : Gun. pot. stainless steel nozzle and needle • Provides constant paint flow at lower pressures, and extremely fine atomisation

Nozzle Size	Spray Pattern	Part No.	Price
1.4mm	250mm	S106-141G	\$189
2.0mm	270mm	S106-201G	\$189
2.5mm	270mm	S106-251G	\$190
2.8mm	270mm	S106-281G	\$190



\$139

TOUCH UP GUN

Pot size: 250ml Nozzle size: 1.4mm Spray pattern: 120mm Includes: Gun, pot, stainless steel nozzle and needle

· Ideal for custom designing, auto touch-up work, detail spray work and stencil spraying

(SJ108)





- · Aluminium composite material construction • Heavy duty twin hammer
- 3 torque settings 820 Nm (625 ft-lb) Max torque • 6,800rpm Free speed • 190 L/min Average air consumption (TM340-136)



· Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings • 1,200 Nm (885 ft-lb) Max torque • 4,200rpm Free speed • 190 L/min Average air consumption (TM340-145)



AIR HYDRAULIC RIVETER

• Sets rivets up to 6.4mm steel and 4.8mm stainless steel • Traction Power: 3,086lb (1400kg) • Stroke Length: 16mm (TM340-802)



AIR DIE GRINDER

• Compact design • Rear 4 speed regulator • Length: 173mm • Free speed: 25,000rpm (TM340-312)



AIR DRILL 3/8" DRIVE

- Quick change keyless chuck
- Adjustable auxiliary handle Free speed: 2,200rpm (TM340-724)



AIR DRILL 1/2" DRIVE

• Quick change keyless chuck • Adjustable auxiliary handle • Free speed: 700rpm (TM340-734)



AIR HAMMER KIT

• Includes 5pce chisel kit • Blows per minute: 3000bpm • Stroke: 66mm (TM340-404)



AIR NEEDLE SCALER

- Heavy duty metal construction
- Blows per minute: 2800 Stroke: 24mm • Length: 315mm (TM340-414)

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO 31st May 2020